Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32670	test adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:14
L2	152	(qualif$3 or discard$3 or reject$3 or accept$3) near4 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:19
L3	123338	(test or integrat$3) near2 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:14
L4	452	(qualif$3 or discard$3 or reject$3 or accept$3) near4 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:14
L5	0	(calibrat$3 near7 mixed) with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:15
L6	0	(calibrat$3 near7 mixed) same 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:21
L7	1	(calibrat$3 or mixed) with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:21
L8	6	(calibrat$3 or mixed) same 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:25
L9	646	(qualif$3 or discard$3 or reject$3 or accept$3) near7 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:20

L10	18	9 and "341"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:20
L11	5035	(qualif$3 or discard$3 or reject$3 or fail$3 or pass) near7 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:38
L12	1	(calibrat$3 near7 mixed) same 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:24
L13	65	(calibrat$3 or mixed) with 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:22
L14	90	11 and "341"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:22
L15	81	11 and "341"/1$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:22
L16	14	11 and "341"/12$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:22
L17	1761	(qualif$3 or discard$3 or reject$3 or fail$3 or valid or invalid) near7 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:23
L18	0	(calibrat$3 near7 mixed) same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:24
L19	29	(calibrat$3 or mixed) same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:27

L20	189	(test$3 adj2 integrated adj3 circuit) and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:35
L22	3	20 and "341"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:36
L23	190	((test$3 or calibrat$3) adj2 integrated adj3 circuit) and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:35
L24	219	((test$3 or calibrat$3) near2 integrated near2 (signal or mixed or circuit)) and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:36
L25	4	24 and "341"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:36
L26	8083	(qualif$3 or discard$3 or reject$3 or fail$3 or pass or valid or invalid or accept$) near7 (calibrat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:44
L27	96	26 and "341"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:40
L28	91	26 and "341"/1$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:40
L29	33	26 and "341"/11$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:40
L30	62	26 and "341"/12$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:40

L31	70	29 or 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:41
L32	10	mixed and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:41
L33	8083	(qualif$3 or discard$3 or reject$3 or (pass near fail) or fail$3 or pass or valid or invalid or accept$ or (valid near invalid)) near7 (calibrat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:45